

# Lab Assignment 5: Preparation

- for this lab assignment we will need two virtual machines, which we will refer to **fso23** and **klone**.
  - CLONE the virtual machine and rename it **klone** . (Or you can reimport the ova file and name it **klone**)
  - change `/etc/hostname` file in the clone machine to reflect the new name.
  - change the `/etc/network/interface` file in the clone machine to reflect the new ip addresses (in next slide)
  - Install the ftp client in **klone** (*apt-get install ftp*)
  - when importing it in Virtualbox. Make sure network adapters 2 and 3 are connected to the same internal networks as the machine we used in previous lab assignments
- We will try connections which will be originated in **klone** and have their destinations to **fso23**

# Lab Assignment 5: Summary of configuration

- **fso** machine should have this configuration
  - **NIC 1 (enp0s3):** using DHCP (VirtualBox's NAT)
  - **NIC 2 (enp0s8):** ips 192.168.10.101, 192.168.11.101 and 192.168.12.101
  - **NIC 3 (enp0s9):** ips 192.168.20.101, 192.168.21.101 and 192.168.22.101
- **klone** machine should have this configuration
  - **NIC 1 (enp0s3):** using DHCP (VirtualBox's NAT)
  - **NIC 2 (enp0s8):** ips 192.168.10.103, 192.168.11.103 and 192.168.12.103
  - **NIC 3 (enp0s9):** ips 192.168.20.103, 192.168.21.103 and 192.168.22.103

# Lab Assignment 5: Summary of configuration

- To perform the lab assignment **fso23** and **klone** should be both running at the same time
- NIC2 and NIC3 of both machines must be connected to the same VirtualBox internal network.
- Machine->Settings->Network->Adapter2->Advanced and Machine->Settings->Network->Adapter3->Advanced must have both '**Cable Connected**' checked
- As **fso23** and **klone** are preconfigured to use 1.5Gb RAM memory each, it's possible that, depending on the available RAM, your host machine cannot cope with both of them running simultaneously. Should that be the case, reconfigure them to use 1Gb or less.
- it's also possible to have **fso23** and **klone** running on different host machines, in that case both host machines should be linked by an ethernet cable and **fso23** and **klone** machine's NIC 2 and 3 should be connected in bridge mode to the ethernet interface of the host machine

# Lab Assignment 5: Tasks

- 1 check ftp and ssh connections from **klone** to **fso23**, using all the six addresses of local networks
- 2 enable ftp services running from inetd in **fso23** by adding the following line to `/etc/inetd.conf`

```
ftp      stream  tcp  nowait  root  /usr/sbin/tcpd  ftpd
```
- 3 check ftp ssh connections from **klone** to **fso23**, using all the six addresses of local networks
- 4 configure *tcpwrappers* (files `/etc/hosts.allow` `/etc/hosts.deny`) on **fso23** to
  - accept all ftp connections except machine 192.168.22.103 and networks 192.168.21.\* and 192.168.20.\*
  - reject all ssh connections for network 192.168.10.\* and 192.168.20.\*
- 5 check ftp and ssh connections from **klone** to **fso23**, using all the six local networks

# Lab Assignment 5: Tasks

- 6 In **fso23** substitute the line previously added to `/etc/inetd.conf` (without modifying nor `/etc/hosts.allow` neither `/etc/hosts.deny`) with  

```
ftp      stream  tcp nowait root /usr/sbin/ftpd      ftpd
```
- 7 restart inetd (`systemctl restart inetd.service`)
- 8 check ftp and ssh connections from **klone** to **fso23**, using all the six local networks

# Lab Assignment 5: Tasks

- 9 (on **fso23**) for the ftp protocol (port 21): use nftables to establish the action DROP for connections in networks 192.168.21.\* and 192.168.20.\* and REJECT for networks 192.168.10.\* y 192.168.22.\*
- 10 (on **fso23**) for the ssh protocol (port 22): use nftables to establish the action DROP for connections in networks 192.168.20.\* and 192.168.21.\* and REJECT for networks 192.168.10.\* y 192.168.11.\*
- 11 check ftp and ssh connections from **klone** to **fso23**, using all the six local networks.
- 12 log the rejected connections and see if they appear on /var/log/messages and in /var/log/kern.log

# Lab Assignment 5: Tasks

- 13 Configure the container in **fso23** done on the previous lab assignment to have a static ip
- 14 Arrange for connections on the ssh and web ports reaching the host machine from network 192.168.22.\* to be redirected to the container
- 15 Check that accesing the machine **fso23** from **klone**, using network 192.168.22.\* reaches, in fact, the container (for both ssh and web)
- 16 Configure ths ssh server at **fso** to use double authentication (using google authenticator) for user000, and user001

# Lab Assignment 5: Work submission

- After performing the corresponding tasks of the lab assignment, a pdf document, describing what has been done (including screenshots showing the behaviour of the virtual machine, changes made to configuraton files, output from commands... ) should be sent to
  - `antonio.yanez@udc.es`. (students at udc)
  - `yolanda@det.uvigo.es`. (students at uvigo)
- The subject of the mail should be *FSO: practica-5*
- The attachment should be named with the lab assignment number and the surname and name of the student, in the form `P5-Surname-Name.pdf`, avoiding non-ascii caracteres (á, é, ñ ... )
  - Example: work submitted by student *Donald Trump Núñez* should come as an attached file named `P5-TrumpNunez-Donald.pdf`